AMERICAN POTATO JOURNAL

Author Index

Vol. 28 Nos. 1-12

Albright, L. C., see Kirkpatrick, M. E.
Attaya, R. B., see Noonan, J. C.
Bemis, K. P. Potato promotional activities: how—and when. 748-752.
Binkley, A. M., see Kunkel, R.
Bonde, R., and D. Merriam. Studies on the dissemination of the potato spindle tuber virus by mechanical inoculation. 558-560.
Brautlecht, C. A., and A. S. Getchell. The chemical composition of white potatoes. 531-550.
Brown, B. A., see Hawkins, A.
Campbell, J. C. and B. B. Pepper. Some observations on effects of wettable DDT and emulsifiable DDT on potato quality and blight control. 638-640.
Chapman, H. W. Absorption of CO_2 by leaves of the potato. 602-615.
Craft, C. C. and P. H. Heinze. Association of specific gravity with weight of individual tubers in late crop potatoes. 580-582.
Cunningham, H. C., see Ellison, J. H.
Darby, J. F., and R. H. Larson. Variation in virulence of naturally occurring strains of potato virus Y. 561-562.
Darling, H. M., see Rieman, G. H.
Edgar, A. D. Determining the specific gravity of individual potatoes. 729-731.
Ellison, J. H., W. C. Jacob, and H. C. Cunningham. Effect of soil reaction on the performance of certain scab-resistant and susceptible potato varieties. 721-727.
Feldmesser, J., see Mai, W. F.
Findlen, H., see Lutz, J. M.
————., see Wiant, J. S.
Fults, J. L., see Payne, M. G.
Getchell, A. S., see Brautlecht, C. A.
Gregory, J., see Kunkel, R.
Gibson, K. E., B. J. Landis, and E. C. Klostermeyer. Effect of aphid control on the spread of leafroll in potatoes. 658-666.
Grieg Smith, Ora Smith. Grading potatoes for mealiness and its effect on retail sales. 499-500.
Hardenburg, E. V. Effect of various methods of handling seed potatoes in preparation for planting. 525-529.
Hastings, R. C. Andrew Robbie honored. 491.
————, obituary, 493.
Hawkes, J. G. The commonwealth potato collection. 465-471.
Hawkins, A., B. A. Brown, and E. J. Rubins. Extreme case of soil toxicity to potatoes on a formerly productive soil. 563-577.
Hay, R., see Payne, M. G.
Heinze, P. H., see Craft, C. C.
Hooker, W. J., and A. F. Sherf. Scab susceptibility and injury of potato tubers by 2,4,5-Trichlorophenoxyacetates. 675-680.
Hougas, R. W., see Rieman, G. H.
Hoyman, W. G. A method of indexing potatoes for virus X by use of petiole or tuber juice. 713-720.
Jacob, W. C., see Ellison, J. H.
Jones, I. D., see Vanasse, N. A.
Kaufman, J., see Wiant, J. S.
Kennedy, E. J., and O. Smith. Response of the potato to field application of Maleic Hydrazide. 701-712.
Kirkpatrick, M. E., B. M. Mountjoy, L. C. Albright, F. W. Poos, and C. A. Weigel. Flavor and odor of cooked potatoes as affected by use of Lindane and Benzene Hexachloride as insecticides. 792-798.
Klostermeyer, E. C., see Gibson, K. E.
Kunkel, R., J. Gregory, and A. M. Binkley. Mechanical separation of potatoes into specific gravity groups shows promise for the potato chip industry. 690-696.
Landblom, N., see Payne, M. G.
Landis, B. J., see Gibson, K. E.
Larson, R. H., see Darby, J. F.
————., see Webb, R. E.
Lear, B., see Mai, W. F.

AMERICAN POTATO JOURNAL

Author Index

Vol. 28 Nos. 1-12

Albright, L. C., see Kirkpatrick, M. E.
Attaya, R. B., see Noonan, J. C.
Bemis, K. P. Potato promotional activities: how—and when. 748-752.
Binkley, A. M., see Kunkel, R.
Bonde, R., and D. Merriam. Studies on the dissemination of the potato spindle tuber virus by mechanical inoculation. 558-560.
Brautlecht, C. A., and A. S. Getchell. The chemical composition of white potatoes. 531-550.
Brown, B. A., see Hawkins, A.
Campbell, J. C. and B. B. Pepper. Some observations on effects of wettable DDT and emulsifiable DDT on potato quality and blight control. 638-640.
Chapman, H. W. Absorption of CO_2 by leaves of the potato. 602-615.
Craft, C. C. and P. H. Heinze. Association of specific gravity with weight of individual tubers in late crop potatoes. 580-582.
Cunningham, H. C., see Ellison, J. H.
Darby, J. F., and R. H. Larson. Variation in virulence of naturally occurring strains of potato virus Y. 561-562.
Darling, H. M., see Rieman, G. H.
Edgar, A. D. Determining the specific gravity of individual potatoes. 729-731.
Ellison, J. H., W. C. Jacob, and H. C. Cunningham. Effect of soil reaction on the performance of certain scab-resistant and susceptible potato varieties. 721-727.
Feldmesser, J., see Mai, W. F.
Findlen, H., see Lutz, J. M.
————., see Wiant, J. S.
Fults, J. L., see Payne, M. G.
Getchell, A. S., see Brautlecht, C. A.
Gregory, J., see Kunkel, R.
Gibson, K. E., B. J. Landis, and E. C. Klostermeyer. Effect of aphid control on the spread of leafroll in potatoes. 658-666.
Grieg Smith, Ora Smith. Grading potatoes for mealiness and its effect on retail sales. 499-500.
Hardenburg, E. V. Effect of various methods of handling seed potatoes in preparation for planting. 525-529.
Hastings, R. C. Andrew Robbie honored. 491.
————, obituary, 493.
Hawkes, J. G. The commonwealth potato collection. 465-471.
Hawkins, A., B. A. Brown, and E. J. Rubins. Extreme case of soil toxicity to potatoes on a formerly productive soil. 563-577.
Hay, R., see Payne, M. G.
Heinze, P. H., see Craft, C. C.
Hooker, W. J., and A. F. Sherf. Scab susceptibility and injury of potato tubers by 2,4,5-Trichlorophenoxyacetates. 675-680.
Hougas, R. W., see Rieman, G. H.
Hoyman, W. G. A method of indexing potatoes for virus X by use of petiole or tuber juice. 713-720.
Jacob, W. C., see Ellison, J. H.
Jones, I. D., see Vanasse, N. A.
Kaufman, J., see Wiant, J. S.
Kennedy, E. J., and O. Smith. Response of the potato to field application of Maleic Hydrazide. 701-712.
Kirkpatrick, M. E., B. M. Mountjoy, L. C. Albright, F. W. Poos, and C. A. Weigel. Flavor and odor of cooked potatoes as affected by use of Lindane and Benzene Hexachloride as insecticides. 792-798.
Klostermeyer, E. C., see Gibson, K. E.
Kunkel, R., J. Gregory, and A. M. Binkley. Mechanical separation of potatoes into specific gravity groups shows promise for the potato chip industry. 690-696.
Landblom, N., see Payne, M. G.
Landis, B. J., see Gibson, K. E.
Larson, R. H., see Darby, J. F.
————., see Webb, R. E.
Lear, B., see Mai, W. F.

Livermore, J. R. The Canoga potato. 672-674.
Lownsbery, B. F., J. W. Lownsbery, and W. F. Mai. Nematodes found in New York state fields with several different cropping histories. 681-686.
Lownsbery, J. W., see Lownsbery, B. F.
Lucas ,H. L., see Vanasse, N. A.
Lutz, J. M., H. Findlen, and G. B. Ramsey. Quality of Red River Valley potatoes in various types of consumer packages. 589-601.
MacLachlan, D. S., and L. T. Richardson. The rapidity of vine-killing by herbicides in relation to internal tuber discoloration in potatoes. 687-689.
Mai, W. F., F. J. Spruyt, B. Lear, and J. Feldmesser. Yields of Green Mountain and Cobbler potato varieties grown on Golden Nematode infested soil. 617-624.
————. *Solanum Xanti* Gray and *Solanum integrifolium* Poir, new hosts of the Golden Nematode, *Heterodera rostochiensis* Wollenwebber. 578-579.
————., see Lownsbery, B. F.
Malone, M. Mr. Potato—partner in the livestock business. 583-586.
Merriam, D., see Bonde, R.
Miller, J. C., see Noonan, J. C.
Mountjoy, B. M., see Kirkpatrick, M. E.
Noonan, J. C., R. E. Webb, R. B. Attaya, and J. C. Miller. Influence of location on the ascorbic acid content of the Irish potato. 521-524.
Payne, M. G., J. L. Fults, R. Hay, N. Landblom, and L. A. Schaal. The effect of storage on color and sprouting of Red McClure potatoes after 2,4-D treatment. 455-464.
Pepper, B. B., see Campbell, J. C.
Poos, F. W., see Kirkpatrick, M. E.
Racicot, H. N., see Richardson, L. T.
Ramsey, G. B., see Lutz, J. M.
Richardson, L. T., and H. N. Racicot. The comparative efficiency of tuber indexing and tuber unit planting in the elimination of virus diseases from seed potatoes. 765-775.
————., see MacLachlan, D. S.
Rieman, G. H., H. M. Darling, R. W. Hougas, and M. Rominsky. Clonal variations in the Chippewa potato variety. 625-631.
————., and H. M. Darling. Miss Lelah Starks, a pioneer seed potato grower. 587-588.
Rominsky, M., see Rieman, G. H.
Rubins, E. J., see Hawkins, A.
Sandsted, R. F., see Werner, H. O.
Schaal, L. A., see Payne, M. G.
Sherf, A. F., see Hooker, W. J.
Sleesman, J. P., see Wilson, J. D.
Smith, O. Potato quality. 732-737.
Dr. Earle V. Hardenburg honored by the Potato Association of America. 490.
————., see Greig, S.
————., see Kennedy, E. J.
Spruyt, F. J., see Mai, W. F.
Starr, G. H. Some factors influencing infection by *Corynebacterium sepedonicum* in potato plants. 551-557.
Swaminathan, M. S. Notes on induced polyploids in the tuber-bearing Solanum species and their crossability with *Solanum tuberosum*. 472-489.
Vanasse, N. A., I. D. Jones, and H. L. Lucas. Specific gravity — dry matter relationship in potatoes. 781-791.
Walker, J. C., see Webb, R. E.
Webb, R. E., R. H. Larson, and J. C. Walker. Naturally occurring strains of the potato leaf roll virus. 667-671.
————., see Noonan, J. C.
Weigel, C. A., see Kirkpatrick, M. E.
Werner, H. O., and R. F. Sandsted. Performance of scab-resistant potato varieties in Western Nebraska. 645-657.
Whittenberger, R. T. Changes in specific gravity ,starch content, and sloughing of potatoes during storage. 738-747.
Wiant, J. S., H. Findlen, and J. Kaufman. Effect of temperature on black spot in Long Island and Red River Valley potatoes. 753-764.
Wilson, J. D., and J. P. Sleesman. Disease and insect control on potatoes in Ohio in 1950. 632-637.

AMERICAN POTATO JOURNAL

Subject Index

Vol. 28 Nos. 1-12

Absorption
of CO_2 by leaves of the potato, 602-615.
American Potato Yearbook, 728.
Aphid control, see Insect control
Black Spot, see Temperature
Blight control, see DDT
Canoga potatoes, 672-674.
Chippewa potatoes
clonal variations in, 625-631.
Clonal variations, see specific varieties.
Cobbler potatoes
yield grown in Golden Nematode infested soil, 617-624.
Collections, potato
commonwealth, 465-471.
DDT
wettable and emulsifiable, effects on potato quality and blight control, 638-640.
Disease and insect control
on potatoes in Ohio in 1950, 632-637.
Flavor and Odor
as affected by insecticides, 792-798.
Golden Nematode, see also Hosts
infested soil, yield of Green Mountain and Cobbler potato varieties, 617-624.
Grading potatoes
for mealiness and its effect on retail sales, 499-520.
Gravity, specific, see also Storage
association of, with weight of individual tubers in late crop potatoes, 580-582.
groups, mechanical separation into, shows promise for potato chip industry, 690-696.
determining, of individual potatoes, 729-731.
dry matter relationship in potatoes, 781-791.
Green Mountain potatoes
yield grown in Golden Nematode infested soil, 617-624.
Greig S. and O. Smith. Grading potatoes for mealiness and its effect on retail sales. 499-520.
Hardenburg, Dr. Earle V.
honored, 490.
obituary, 493.
Herbicides, see Tubers
Hosts
Solanum Xanti Gray and *Solanum integrifolium* Poir, 578-579.
Index
Vol. 28 Nos. 1-12, 800-803.
Indexing potatoes, see Virus X, also Tubers.
Infection
by *Corynebacterium sepedonicum*, factors influencing, 551-557.
Insect control, see also Disease and Insect control
effect of aphid control on spread of leafroll in potatoes, 658-666.
Irish potato
influence of location on the ascorbic acid content of, 521-524.
Leafroll, see also Insect control
virus, naturally occurring strains, 667-671.
Livestock
Mr. Potato — partner in, 583-586.
Long Island potatoes
effect of temperature on Black Spot in, 753-764.
Maleic Hydrazide
response to field application of, 701-712.
Mealiness, see Grading potatoes
Mechanical inoculation, see Spindle Tuber
Minutes
of annual meeting, Dec. 1, 2, 3, 1950, 494-497.
Nematodes
found in N. Y. state fields with several different cropping histories, 681-686.

Odor, see Flavor, 792-798.
Packages, consumer, see Red River Valley potatoes
Potato Association of America
minutes of annual meeting, Dec. 1,2,3, 1950, 494-497.
announcement of annual meeting, Dec. 11, 12, 13, 1951, 700.
program of annual meeting, 776-779.
Potato chip industry, see Gravity, specific
Polyploids, induced
notes on, in the tuber-bearing Solanum species and their crossability with *Solanum tuberosum*, 472-489.
Promotion
of potato, how and when, 748-752.
Quality, potato, see also DDT
732-737.
Red McClure potatoes
effect of storage on color and sprouting after 2,4-D treatment, 455-464.
Red River Valley potatoes
quality of, in various types of consumer packages, 589-601.
effect of temperature on Black Spot in, 753-764.
Retail sales, see Grading potatoes
Reddick, D.—Donald Reddick retires, 491.
Robbie, Andrew
honored, 491.
Scab-resistant potato varieties
performance in Western Nebraska, 645-657.
effect of soil reaction on the performance of, 721-727.
Scab susceptibility, see Tubers
Seed potatoes
effect of various methods of handling, in preparation for planting, 525-529.
elimination of virus diseases, 765-775.
Sloughing, see Storage
Soil reaction, see Scab-resistant potato varieties
Soil toxicity
to potatoes on a formerly productive soil, 563-577.
Species varieties
Spindle Tuber
studies on the dissemination of the virus by mechanical inoculation, 558-560.
Starch content, see Storage
Starks, Miss Lelah
pioneer seed potato grower, 587-588.
Storage
changes in specific gravity, starch content, and sloughing of potatoes during, 738-747.
effect on color and sprouting of Red McClure potatoes after 2,4-D treatment, 455-464.
Temperature
effect of, on Black Spot in Long Island and Red River Valley potatoes, 753-764.
Tubers
association of specific gravity with weight of, in late crop potatoes, 580-582.
injury by 2,4,5-Trichlorophenoxyacetates, 675-680.
rapidity of vine-killing in relation to internal discoloration of, 687-689.
unit-planting and indexing of, comparative efficiency in elimination of virus disease from seed potatoes, 765-775.
Unit-planting, see Tubers
Varieties, see also specific varieties
new, 641-643, 697-699.
Virus diseases, see Tubers, also Spindle Tuber
Virus X
method of indexing for, by use of petiole or tuber juice, 713-720.
Virus Y
variation in virulence of naturally occurring strains of, 561-562.
White potatoes
chemical composition, 531-550.